

Diesel Forklift (2-2.5T Forklift Truck, J Series)

1. [Home](#)
2. [Products](#)
3. [Diesel Forklift](#)
4. [Diesel Forklift \(2-2.5T Forklift Truck, J Series\)](#)





Specifications of Diesel Forklift

Model	CPCD20J, CPCD25J
Rated Load Capacity	2000kg, 2500kg
Engine	Engine from ISUZU, YANMAR, VM, JAC, and other Chinese supplier
Gearbox	Hydraulic/automatic (TCM technology)
Standard Mast	2-stage mast (3m)
Container Mast (Optional)	2-stage or 3-stage full free mast (3m-6m)
Tyre	Pneumatic tyre (Standard), solid tyre (Optional)
Side Shifter (Optional)	Integrated type side shifter, CASCADE side shifter



1. The diesel forklift of J series is engineered in enclosed structure to reduce the noise and improve the comfort during operation.



2. Newly-developed design for the balance weight makes the forklift truck quite attractive.



3. Mast



4. The spacious operation room can relieve the fatigue of the operator.



5. The instrument panel of the diesel powered lift truck is installed at right hand side. The simple design makes it easier for the operator to read the parameters.



6. Practical and eye-catching, our diesel forklift adopts the fuel tank cap for cars.



7. Wide field of view for high safety and high working efficiency.

Technical Parameters

Model		Unit	CPCD20J	CPCD25J	
Load Capacity		Kg	2000	2500	
Load Center		mm	500	500	
Mast Lifting height		mm	3000	3000	
Mast Free Lift		mm	190	190	
Mast Lifting Speed (With Load)		mm/s	530	530	
Mast Tilting Angle (Front/Rear)			6°/ 12°	6°/ 12°	
Driving Speed		km/h	17	17	
Turning Radius		mm	2245	2300	
Ground Clearance		mm	110	110	
External Dimension	Length to face of forks	mm	2536	2596	
	Overall width	mm	1190	1190	
	Height of overhead guard (cabin)	mm	2105	2105	
	Height of mast, extended	mm	4015	4015	
Wheelbase		mm	1600	1600	
Tread	Front	mm	970	970	
	Rear	mm	970	970	
Overhang (front)		mm	476	476	
Fork		mm	1070	1070	
Service Weight		kg	3400	3800	
Engine	Model		JAC4DC1	ISUZU C240	YANMAR4TNE94
	Rated Output	KW	45	35.4	42.1
	Rated power speed	rpm	2500	2500	2300

